

CSS 1 Declarations - and how to use them

Font/Background

Font and Background Properties

Property	Valid Values	Example
font-family	[font name or type]	font-family:Verdana, Arial;
font-style	normal italic	font-style:italic;
font-variant	normal small-caps	font-variant:small-caps;
font-weight	normal bold	font-weight:bold;
font-size	[xx-large x-large large normal small x-small xx-small] [larger smaller]	font-size:1.2em;
font	[font-style font-variant font-weight font-size [/ line-height] ? font-family]	font:italic 20px Arial;

Property	Valid Values	Example
color	color	color:red
background-color	color transparent	background-color:yellow
background-image	url none	background-image:url(house.jpg)
background-repeat	repeat repeat-x repeat-y no-repeat	background-repeat:no-repeat
background-attachment	scroll fixed	background-attachment:fixed
background-position	[position length] {1,2} [top center bottom top left center right]	background-position:center top
background	transparent color url repeat scroll position	background:yellow repeat scroll center top (house.jpg) repeat-y

Text

Text Properties

Property	Valid Values	Example
letter-spacing	normal length	letter-spacing:5px
text-decoration	none underline overline line-through	text-decoration:underline
vertical-align	sub super	vertical-align:sub
text-transform	capitalize uppercase lowercase none	text-transform:lowercase
text-align	left right center justify	text-align:center
text-indent	length percentage	text-indent:25px
line-height	normal number length percentage	line-height:1.5em

Box

Box Properties

Property	Valid Values	Example
margin-top	length percentage auto	margin-top:5px
margin-right	length percentage auto	margin-right:5px
margin-bottom	length percentage auto	margin-bottom:1em
margin-left	length percentage auto	margin-left:5pt
margin	length percentage auto {1,4}	margin: 10px 5px 10px 5px
padding-top	length percentage	padding-top:10%
padding-right	length percentage	padding-right:15px
padding-bottom	length percentage	padding-bottom:1.2em
padding-left	length percentage	padding-left:10pt; }
padding	length percentage {1,4}	padding: 10px 10px 10px 10px

<i>border-top-width</i>	<i>thin medium thick length</i>	<i>border-top-width:thin</i>
<i>border-right-width</i>	<i>thin medium thick length</i>	<i>border-right-width:medium</i>
<i>border-bottom-width</i>	<i>thin medium thick length</i>	<i>border-bottom-width:thick</i>
<i>border-left-width</i>	<i>thin medium thick length</i>	<i>border-left-width:15px</i>
<i>border-width</i>	<i>thin medium thick length</i>	<i>border-width: 3px 5px 3px 5px</i>
<i>border-top-color</i>	<i>color</i>	<i>border-top-color:navajowhite</i>
<i>border-right-color</i>	<i>color</i>	<i>border-right-color:whitesmoke</i>
<i>border-bottom-color</i>	<i>color</i>	<i>border-bottom-color:black</i>
<i>border-left-color</i>	<i>color</i>	<i>border-left-color:#C0C0C0</i>
<i>border-color</i>	<i>color {1,4}</i>	<i>border-color: green red white blue; }</i>
<i>border-top-style</i>	<i>none solid double groove ridge inset outset</i>	<i>border-top-style:solid</i>
<i>border-right-style</i>	<i>none solid double groove ridge inset outset</i>	<i>border-right-style:double</i>
<i>border-bottom-style</i>	<i>none solid double groove ridge inset outset</i>	<i>border-bottom-style:groove</i>
<i>border-left-style</i>	<i>none solid double groove ridge inset outset</i>	<i>border-left-style:inset</i>
<i>border-style</i>	<i>none solid double groove ridge inset outset</i>	<i>border-style:ridge</i>
<i>border-top</i>	<i>border-width border-style border-color</i>	<i>border-top:medium outset red</i>
<i>border-right</i>	<i>border-width border-style border-color</i>	<i>border-right:thick inset maroon</i>
<i>border-bottom</i>	<i>border-width border-style border-color</i>	<i>border-bottom: 10px ridge gray</i>
<i>border-left</i>	<i>border-width border-style border-color</i>	<i>border-left:10px groove red</i>
<i>border</i>	<i>border-width border-style border-color</i>	<i>border:solid blue</i>
<i>float</i>	<i>none left right</i>	<i>float:none</i>
<i>clear</i>	<i>none left right both</i>	<i>clear:left</i>

Classification

Classification Properties

Property	Valid Values	Example
<i>display</i>	<i>none block inline list-item</i>	<i>display:none</i>
<i>list-style-type</i>	<i>disk circle square decimal none upper-alpha lower-alpha</i>	<i>list-style-type:upper-alpha</i>
<i>list-style-image</i>	<i>url none</i>	<i>list-style-image:url(icFile.gif)</i>
<i>list-style-position</i>	<i>inside outside</i>	<i>list-style-position:inside</i>
<i>list-style</i>	<i>keyword position url</i>	<i>list-style: square outside url(icFolder.gif)</i>

Positioning

Positioning Properties

Property	Valid Values	Example	Applies to
<i>clip</i>	<i>shape auto</i>	<i>clip:rect(0px 200px 200px 0px)</i>	<i>all elements</i>
<i>height</i>	<i>length auto</i>	<i>height:200px</i>	<i>DIV, SPAN and rep</i>
<i>left</i>	<i>length percentage auto</i>	<i>left:0px</i>	<i>absolutely and relat</i>
<i>overflow</i>	<i>visible hidden scroll auto</i>	<i>overflow:scroll</i>	<i>all elements</i>
<i>position</i>	<i>absolute relative static</i>	<i>position:absolute</i>	<i>all elements</i>
<i>top</i>	<i>length percentage auto</i>	<i>top:0px</i>	<i>absolutely and relat</i>

visibility	visible hidden inherit	visibility:visible	all elements
width	length percentage auto	width:80%	DIV, SPAN and rep
z-index	auto integer	z-index:-1	absolutely and relat

Printing

Printing Properties

Property	Valid Values	Example
page-break-before	auto always left right	page-break-before:always
page-break-after	auto always left right	page-break-before:auto

Pseudo Classes

Pseudo Classes

Property	Valid Values	Example
cursor	auto crosshair default hand n-resize e-resize ne-resize nw-resize s-resize se-resize w-resize ew-resize nesw-resize nwse-resize	cursor:hand;
active, hover, link, visited	n/a	a:hover { color:red; }
first-letter, first-line	any font manipulating declaration	first-letter{ float:left;color:blue }

More resources

This list has been published on trust-me.nu since 1996 together with alot of other resources for the web. The rest of the resources on trust-me.nu will be updated to the current HTML standards, and placed here once ready.

If you can't wait until it is published here, you will find all the web resources at trust-me.nu

Example of use in HTML document:

```
<font size="3" style="color:blue; text-decoration:underline;">
```

Example of use in CSS stylesheet:

```
.classname {
color:green;
text-decoration:underline;
}
```

[Top of page](#)